



Precision Health Solutions

LAB INFORMATION	PATIENT INFORMATION	SPECIMEN INFORMATION
Name: Precision Health Solutions Address: 9675 4th St N St Petersburg, FL 33702 Phone: 727-235-0886 Fax: 833-288-9397 Medical Director: Fatemeh Mousavi, MD CLIA: 10D2181177	Patient: Mickey Mouse DOB: 04/03/2016 Age: 7 Years Gender: Male	Acc #: D232780002 Doctor: Donald Duck Facility: Toontown Medical Clinic Provider: Donald Duck Collection Date: 1/29/2024 Received in Lab: 1/29/2024 Resulted Date: 1/29/2024 Specimen: Stool

Gastrointestinal Pathogen Panel (GI)

Run Summary	
Sample ID: D232780002	Run Date: 01/29/2024
Detected: Clostridium difficile (Toxin A/B) Vibrio (parahaemolyticus, vulnificus, & cholerae)	

Result Summary		
Result	Test	Reference
Not Detected	Adenovirus F 40/41	Not Detected
Not Detected	Astrovirus	Not Detected
Not Detected	Norovirus GI/GII	Not Detected
Not Detected	Rotavirus A	Not Detected
Not Detected	Sapovirus (I,II, IV, and V)	Not Detected
Not Detected	Cryptosporidium	Not Detected
Not Detected	Cyclospora cayetanensis	Not Detected
Not Detected	Entamoeba histolytica	Not Detected
Not Detected	Giardia lamblia	Not Detected
Not Detected	Enteroaggregative E. coli (EAEC)	Not Detected
Not Detected	Enteropathogenic E. coli (EPEC)	Not Detected
Not Detected	Enterotoxigenic E. coli (ETEC) lt/st	Not Detected
Not Detected	Shiga-like toxin-producing E. coli (STEC) stx1/stx2 E. coli O157	Not Detected
Not Detected	Shigella/Enteroinvasive E. coli (EIEC)	Not Detected
Not Detected	Campylobacter (jejuni, coli & upsaliensis)	Not Detected
✓ Detected	Clostridium difficile (Toxin A/B)	Not Detected
Not Detected	Plesiomonas shigelloides	Not Detected
Not Detected	Salmonella	Not Detected
Not Detected	Yersinia enterocolitica	Not Detected
✓ Detected	Vibrio (parahaemolyticus, vulnificus, & cholerae)	Not Detected
Not Detected	Vibrio cholerae	Not Detected

Calling Notes:

Lab Comment:

Disclaimer

The FilmArray Gastrointestinal (GI) Panel is a qualitative multiplexed nucleic acid-based in vitro diagnostic testing intended for use with the FilmArray instrument. This assay is capable of the simultaneous detection and identification of nucleic acids from multiple bacteria, viruses, and parasites directly from stool samples obtained from individuals with signs and or symptoms of gastrointestinal infection. This assay is indicated as an aid in the diagnosis of specific agents of gastrointestinal illness and results are meant to be used in conjunction with other clinical laboratory and epidemiological data. Positive results do not rule out coinfection with organisms not included in this panel. The agent detected may not be the definitive cause of the disease. Concomitant culture is necessary for organism recovery and further typing of bacterial agents. A negative result in the setting of clinical illness compatible with gastroenteritis may be due to infection by pathogens that are not detected by this assay or by non-infectious causes such as ulcerative colitis, irritable bowel syndrome, or Crohn's disease.

For clinical questions regarding this report please contact PRECISION HEALTH SOLUTIONS at 727-235-0886